




Combination Gas and Water Faucet

Architect/Engineering Specifications:

Combination gas and water laboratory turret with polished chrome plated brass body, 8" rigid gooseneck with serrated tip outlet, hose cocks, 4-arm handle and 3/8" NPT male gas and water inlets. Certified to ASME A112.18.1 / CSA B125.1, NSF 61 - Section 9, NSF-372 and ANSI Z21.15a / CSA 9.1a. Meets ADA ANSI/ICC A117.1 requirements.

Job Name \_\_\_\_\_
Model Specified \_\_\_\_\_ Quantity \_\_\_\_\_
Variations Specified \_\_\_\_\_
Date \_\_\_\_\_



Features & Benefits:

- Combination gas and water laboratory turret w/ polished chrome plated brass body
8 inch rigid gooseneck w/ serrated tip outlet
(2) hose cocks
4-arm handle w/ color coded index
3/8 inch NPT male gas and water inlets
Material: Polished chrome plated brass body & tubular spout, polished chrome metal handles

Product Compliance:

- ASME A112.18.1 / CSA B125.1
NSF 61 - Section 9
NSF 372 (Low Lead Content)
ANSI Z21.15a / CSA 9.1a (Gas Valves)
ANSI A117.1 (ADA)

Warranty: One Year (Limited)

Performance Data:

- Pressure: Water: 20 - 125 psi, Gas: 0.5 psi max
Temperature: Water: 40 F - 140 F, Gas: 32 F - 125 F
Flow Rate: Water: 5.03 GPM @ 60 psi



ADA Compliant

